

# INDEX MAPS.

## T. 6N, R. 12E. 2<sup>nd</sup> Mer.

	356	356	356	357	357	357						
359	6	373	5	4	378	3	378	2	377	1	355	
	<del>373</del>	<del>376</del>	<del>377-379</del>	<del>377-378</del>	<del>377-378</del>	<del>377</del>						
359	7	372	8	376	9	375	10	375	11	374	12	355
	<del>372</del>	<del>373-376</del>	<del>374-376</del>	<del>374-375</del>	<del>374-375</del>	<del>374</del>						
358	18	372	17	371	16	371	15	370	14	369	13	356
	<del>368</del>	<del>369-371</del>	<del>369-371</del>	<del>369-370</del>	<del>369-370</del>	<del>369</del>						
358	19	368	20	368	21	367	22	366	23	366	24	
	<del>365</del>	<del>365-368</del>	<del>365-367</del>	<del>365-367</del>	<del>366</del>	<del>366</del>						
358	30	364	29	363	28	362	27	361	26	360	25	
	<del>364</del>	<del>364</del>	<del>363</del>	<del>362</del>	<del>361</del>	<del>360</del>						
358	31	363	32	362	33	361	34	361	35	359	36	
	353	353	353	354	354	354						

## T. 7N, R. 12E. 2<sup>nd</sup> Mer.

	385-387	385-387	385-387	385-387	386	386						
390	6	408	5	407	4	406	3	405	2	403	1	384
	<del>408</del>	<del>407</del>		<del>406</del>		<del>405</del>		<del>404</del>		<del>403</del>		
389	7	407	8	406	9	405	10	404	11	403	12	384
	<del>402</del>	<del>402-407</del>		<del>402-406</del>		<del>402-405</del>		<del>402-404</del>		<del>402</del>		
389	18	401	17	400	16	399	15	398	14	397	13	384
	<del>401</del>	<del>401</del>		<del>400</del>		<del>399</del>		<del>397</del>		<del>396</del>		
388	19	401	20	399	21	398	22	397	23	396	24	383
	<del>395</del>	<del>395-400</del>		<del>395-399</del>		<del>396-398</del>		<del>396-397</del>		<del>396</del>		
388	30	395	29	394	28	393	27	392	26	391	25	383
	<del>395</del>	<del>394</del>		<del>393</del>		<del>392</del>		<del>391</del>		<del>390</del>		
388	31	394	32	393	33	392	34	391	35	390	36	382
	381	381		381		381		382		382		

(P The figures on the lines refer to the page.

353

Township N. 6 North, Range N. 12 East 2<sup>d</sup> Mer. Indiana

ch. lks.

### South Boundary

var. 5. 25' E.

East On S. boundary of Sec. 31. Oct. 27<sup>th</sup> 1876

1.90 a Spring in the Cor. of Sec. 31 runs S.

4.22 a Poplar 18 in. diam.

10.45 a Beech 20 " "

24.75 a Creek 50 lks. wide runs S.E.

32.45 a watercourse 10 lks. " " N.W.

40.00 Set g. Sec. post, from which

a W. Oak 18 in. diam. bears S 63° W 5 lks. dist. of

a Hickory 12 " " " N 20° E 31 " "

44.60 a Beech 22 " "

70.56 a Hickory 13 " "

80.00 Set post Cor. to Sec. 31 & 32, from which

a B. Gum 42 in. diam. bears N 15° E 5 lks. dist. of

a Beech 14 " " " S 61° W 27 " "

Land 1<sup>st</sup> half mile hilly - remainder level, timber

Beech, Oak, Hickory, Poplar &c. undug <sup>to</sup> Spruce, &c.

---

East On S. boundary of Sec. 32

4.28 a B. Gum 36 in. diam.

10.80 a Beech 24 " "

19.12 a watercourse 6 lks. wide runs S.E.

40.00 Set g. Sec. post, from which

a B. Walnut 36 in. diam. bears N 43° W 6 lks. dist. of

a W. Oak 16 " " " S 32° E 34 " "

41.00 a watercourse 15 lks. wide runs S.W.

54.30 a Spring 50 lks. S. of the line runs N.

58.52 fork of a watercourse 10 lks. wide, 1 from S.E. the other from N.E.

65.12 a Bk. Gum 14 in. diam.

80.00 Set post Cor. to Sec. 32 & 33, from which

a Gum 13 in. diam. bears N 14° W 4 lks. dist. of

a Beech 13 " " " S 25° E 19 " "

Land 1<sup>st</sup> 1/2 mile Broken - remainder level 2<sup>d</sup> rate  
timber Beech, Ash, Poplar, Oak, Hickory &c.

---

East On S. boundary of Sec 33

T6 N R12 E. 2<sup>nd</sup> Mer. Indianach<sup>d</sup> lth

- 13.75 a Poplar 24 in. diam.  
 21.30 a Hickory 18 " "  
 40.00 Set of sec. post, from which  
     a Hickory 13 in. diam. bray N 34 E 34 lth. dist. of  
     a Beech 14 " " " S 47 W 39 " "  
 42.70 a water course 8 lth. wide runs N. E.  
 52.69 a Poplar 13 in. diam.  
 68.70 a Hickory 12 " "  
 80.00 Set post cor. to sec. 33 of 34, from which  
     a Beech 17 in. diam. bray North 34 lth. dist. of  
     a Gum 8 " " " S 34 W 17 " "  
 Sand level 2<sup>nd</sup> rate, timber Poplar, Oak, Hickory  
 Beech, Gum &c.

East On S. boundary of Sec. 34

- 14.40 a water course 15 lth. wide runs N. E.  
 19.92 a Beech 15 in. diam.  
 31.10 a water course 10 lth. wide runs N.  
 32.85 a W. Oak 32 in. diam.  
 39.00 a water course 6 lth. wide runs N.  
 40.00 Set of sec. post, from which  
     a Hickory 8 in. diam. bray N 84 E 5 lth. dist. of  
     a Mulberry 7 " " " S 25 W 3 " "  
 57.00 a Hickory 15 " "  
 68.00 a water course 25 lth. wide runs S 25 E.  
 80.00 Set post Cor. to sec. 34 of 35, from which  
     a Hickory 5 in. diam. bray S 10 E 11 lth. dist. of  
     a Do. 14 " " " N 31 W 24 " "  
 Sand hilly & poor, timber Oak, Hickory, Beech &c.  
 Haw, Dogwood &c. undug<sup>th</sup>.

East On S. boundary of Sec 35

- 25.00 a water course 20 lth. wide runs S. E.  
 32.35 a Do. 25 " " " N. E.  
 40.00 Set of sec. post, from which  
     a Buckeye 14 in. diam. bray S 43 W 31 lth. dist. of

# St. N. R. 12 E. 2<sup>d</sup>. Mer. Indiana

355

ch. lks.

a Sugar 8 in. diam., bray N 5 W 27 lks. dist.

61.53 a Gum 18 " "

65.20 a watercourse 10 lks. wide cum N.

80.00 let post cor. to sec. 35 & 36, from which

a White 20 in. diam., bray N 31 E 15 lks. dist. &

a W. Oak 5 " " " S 31 W 14 " "

Sand hilly & poor, timber Oak, Hickory, Beech &c.

East On S. boundary of sec. 36

22.50 a watercourse 8 lks. wide cum N.

34.00 intersected Indian boundary where let post, from which

a W. Oak 30 in. diam., bray N 50 E 26 lks. dist. &

a Beech 5 " " " S 36 W 19 " "

Sand hilly timber Oak, Hickory, Beech, Sugar &c.

October 28<sup>th</sup>, 1806

## East Boundary

South On E. boundary of sec. 1

40.00 let q. sec. post, from which

a Poplar 22 in. diam., bray S 85 E 9 lks. dist. &

Beech 10 " " " S 55 W 9 " "

80.00 let post cor. to sec. 1 & 12, from which

a Logwood 3 in. diam., bray W 25 lks. dist. &

a Hickory 6 " " " S 30 E 11 " "

This mile lived 2<sup>d</sup>. rate land, timber Beech, Oak, Hickory &c.

South On E. boundary of sec. 12

40.00 let q. sec. post, from which

a Hickory 10 in. diam., bray S 70 W 23 lks. dist. &

a Sugar 04 " " " N 40 E 11 " "

80.00 let post cor. to sec. 12 & 13, from which

a B. Oak 24 in. diam., bray N 60 W 22 lks. dist. &

a Sugar 10 " " " S 35 E 41 " "

This mile some broken, timber Beech, Oak, Sugar Hickory &c. 3<sup>d</sup>. rate,



# S 6 N. R 12 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

South On E. boundary of Sec. 13.

15.00 a Stream 6 lks. wide runs W

20.00 a Do. 6 " " " N. N.

40.00 Set q. Sec. post, from which

a W. Beech 3 in. diam. branch S 30 W 21 lks. dist. of

a Maple 8 " " " N 37 W 47 " "

58.50 to the Old Indian boundary line a Sugar 15 in.

diam. stands for the corner. This distance

Land broken 3<sup>rd</sup> rate, timber Beech, Sugar, Oak, &c.

October 1806

## North Boundary

East On S. boundary of Sec. 31, T 7 N. R 12 E.

40.00 Set q. Sec. post, from which

a W. Ash 24 in. diam. branch N 60 E 10 lks. dist. of

a Beech 28 " " " S 70 E 19 " "

52.50 a Spr. Branch corner N. E.

80.00 Set post cor. to Sec. 31 & 32, from which

a Beech 14 in. diam. branch N 40 W 18 lks. dist. of

a Do. 9 " " " S 66 E 32 " "

This mile level 3<sup>rd</sup> rate, timber Beech, Sugar, &c.

East On S. boundary of Sec. 32, T 7 N. R 12 E.

40.00 Set q. Sec. post, from which

a Beech 16 in. diam. branch N 65 E 19 lks. dist. of

a Sugar 18 " " " N 10 E 22 " "

70.00 a Stream 10 lks. wide E. N. begins to ascend a steep hill

80.00 Set post cor. to Sec. 32 & 33, from which

a Beech 6 in. diam. branch N 75 W 18 lks. dist. of

a Do. 8 " " " S 35 W 25 " "

This mile level 3<sup>rd</sup> rate, timber Poplar, Beech, Sugar, &c.

East On S. boundary of Sec. 33, T 7 N. R 12 E.

40.00 Set q. Sec. post, from which

a Beech 8 in. diam. branch N 67 E 29 lks. dist. of

a Do. 18 " " " N 79 W 28 " "

ch. 1/4,

50.00 a Stream 10 lks, wide course N.E.

80.00 Set post cor. to Sec. 33 & 34 from which  
a Beech 4 in. diam. - beam 160 E 4 lks, dist of  
a Do. 15 " " " N 55 E 10 " "

This mile fully 3<sup>rd</sup> rate timber Beech, Sugar Oak &c

East On S. boundary of Sec 34, T. N. R 12 E.

40.00 Set of sec. post, on bank of Laughery Cr. 150 lks, wide of S.  
a Sugar 10 in. diam. - beam 180 E 11 lks, dist of  
a W. Oak 12 " " " N 30 E 21 " "

69.00 a Stream 10 lks, wide course S.

80.00 Set post cor. to Sec. 34 & 35, from which  
a Beech 12 in. diam. - beam 140 W 3 lks, dist of  
a Do. 12 " " " N 79 W 9 " "

This mile broken 3<sup>rd</sup> rate, timber Beech, Sugar, Oak &c

East On S. boundary of Sec. 35, T. N. R 12 E.

40.00 Set of sec. post, from which  
a Beech 12 in. diam. - beam 90 E 6 lks, dist of  
a Do. 12 " " " N 5 E 14 " "

70.00 Stream 10 lks, wide course S.

80.00 Set post cor. to Sec. 35 & 36 from which  
a Beech 18 in. diam. - beam 170 E 30 lks, dist  
a Do. 12 " " " N 45 W 26 " "

This timber &c. same as on the last mile

East On S. boundary of Sec. 36, T. N. R 12 E.

22.50 a Stream 15 lks, wide course S. E.

40.00 Set of sec. post, from which  
a Sugar 10 in. diam. - beam 170 E 20 lks, dist of  
a Do. 4 " " " North 35 " "

80.00 Set post cor. to Township 6 N, Range  
12 & 13 East, from which

a W. Oak 20 in. diam. - beam 188 W 1 lks, dist of  
a B. Oak 22 " " " 14 E 21 " "

Sand timber &c. same as on the last mile.

T6 N. R12 E. 2<sup>nd</sup> Ma. Indiana

ch. lth

West Boundary. Oct. 1806.

North On E. boundary of Sec. 36, T6 N. R11 E.

25.00 a watercourse 6 lth, wide cor. S. E.

40.00 Set q. sec. post, from which

a Beech 16 in. diam. bray North 14 lth. dist. of

a Sugar 20 " " " 185 W 25 " "

72.50 a watercourse 12 lth, wide course E.

80.00 Set post cor. to Sec. 25 of 36 from which

a Sugar 36 in. diam. bray 140 W 33 lth. dist. of

a Walnut 14 " " " 111 W 16 " "

This mile broken 3<sup>rd</sup> State, timber Beech, Sugar  
Cypress &c.

North On E. boundary of Sec. 25, T6 N. R11 E.

11.50 a stream 10 lth, wide course S. E.

35.00 a do. " " " head, N. E.

40.00 Set q. sec. post, from which

a Beech 3 in. diam. bray N 80 E 7 lth. dist. of

a dogwood 4 " " " N 50 W 10 " "

65.00 Crossed the last mentioned stream head N. W.

80.00 Set post cor. to Sec. 24 of 25, from which

a Beech 30 in. diam. bray 125 E 24 lth. dist. of

a do. 6 " " " N 55 E 16 " "

Sand timber &amp;c. same as on the last mile

North On E. boundary of Sec. 24, T6 N. R11 E

40.00 a Poplar 9 in. diam. stand for q. sec. corner

78.00 a stream 16 lth, wide run W.

80.00 Set post cor. to Sec. 13 of 24, from which

a Beech 30 in. diam. bray N 30 E 8 lth. dist. of

a dogwood 5 " " " 150 E 6 " "

This mile level 2<sup>nd</sup> land, timber Beech, Poplar &c.

North On E. boundary of Sec. 13, T6 N. R11 E.

40.00 Set q. sec. post, from which

a Ironwood 6 in. diam. bray 170 E 4 lth. dist. of

# T6 N. R12 E. 2<sup>d</sup> Mer. Indiana

359

- ck. 1/2 m.  
 43.50 a Beech 24 in. diam. - bear West - 1/2 m. dist.  
 78.00 a Stream 5 1/2 m. wide Course N.W.  
 80.00 a Do. 6 " " " West  
 80.00 Set post cor. to Sec. 12 of 13, from which  
 a Beech 24 in. diam. - bear S 20 E 13 1/2 m. dist. of  
 a Do. 14 " " " N 70 W 18 " "  
 Level 2<sup>nd</sup> rate Beech land

- North On E. boundary of Sec. 12, T6 N. R11 E  
 40.00 Set of Sec. post, from which  
 a Sugar 12 in. diam. - bear N 30 W 14 1/2 m. dist. of  
 a Beech 3 " " " S 60 E 11 " "  
 80.00 Set post cor. to Sec. 1 of 12, from which  
 a Sugar 12 in. diam. - bear S 5 E 27 1/2 m. dist. of  
 a Beech 5 " " " N 70 W 14 " "  
 This mile low wet soil, timber ash, Beech,  
 &c. Land 3<sup>rd</sup> rate

- North On E. boundary of Sec. 1, T6 N. R11 E.  
 40.00 Set of Sec. post, from which  
 a Beech 15 in. diam. - bear N 57 E 25 1/2 m. dist. of  
 a Do. 28 " " " S 72 W 14 " "  
 43.00 a Stream 16 1/2 m. wide Course E.  
 80.00 a Beech 20 in. diam. - (notched on four sides)  
 Stand for Cor. to Township 6 of North, Range  
 11 of 12 East.  
 This mile level 2<sup>nd</sup> rate land, timber Beech,  
 Oak, Sugar &c.

John Brownson, L.S.

Com.

## Subdivision.

- North Between Sec. 35 of 36  
 21.00 a large watercourse 16 1/2 m. wide Cr. N.E.  
 39.00 a watercourse 8 1/2 m. wide Cr. S.E.  
 40.00 Set of Sec. post, from which  
 a Spruce 8 in. diam. - bear S 30 E 26 1/2 m. dist. of



# Lot R12 E. 2<sup>d</sup> Mer. Indiana

Ch<sup>l</sup>ky.

80.00 a Spruce 8 in. diam. - beam N40W17<sup>1</sup>/<sub>2</sub> l<sup>y</sup>. dist. of  
 a W. Oak 14 in. diam. - beam S37E9 l<sup>y</sup>. dist. of  
 a Beech 14 " " " N60W20 " "  
 This mile broken 3<sup>rd</sup> rate, timber Oak, Beech, Gum &c.

East Between Sec. 25 & 36

40.00 Set of Sec. post, from which  
 an Ironwood 5 in. diam. - beam S35E19 l<sup>y</sup>. dist. of  
 a Poplar 18 " " " N45W18 " "  
 49.00 to Indian Boundary a B. Ash 16 in. diam.  
 stands for. the cor. of Sec. 25 & 36.  
 This distance broken, 3<sup>rd</sup> rate, timber Oak, Beech &c

North Between Sec. 25 & 26

10.00 a watercourse 8 l<sup>y</sup>. wide Course E.  
 40.00 Set of Sec. post, from which  
 a Beech 12 in. diam. - beam S26W32 l<sup>y</sup>. dist. of  
 a Hickory 10 " " " N45E12 " "  
 80.00 Set post cor. to Sec. 23, 24, 25 & 26, from which  
 a B. Oak 12 in. diam. - beam S25E22 l<sup>y</sup>. dist. of  
 a Sugar 12 " " " N45W18 " "  
 This mile some broken, timber Beech, Oak, Sugar  
 &c. Land 3<sup>rd</sup> rate

East Between Sec. 34 & 35

28.00 a watercourse 14 l<sup>y</sup>. wide Course S.  
 40.00 Set of Sec. post, from which  
 a Beech 14 in. diam. - beam South l<sup>y</sup>. dist. of  
 a Hickory 40 " " " N20W23 " "  
 61.00 to Indian Boundary line, Set post, from which  
 a Beech 36 in. diam. - beam N40W39 l<sup>y</sup>. dist. of  
 a Do. 10 " " " S45E23 " "  
 This distance land 3<sup>rd</sup> rate broken, timber  
 same as on the last mile.



North Between Sec. 34 & 35

36.00 a watercourse 6<sup>th</sup>, wide Cr. E.

40.00 Set of Sec. post, from which  
a Hickory 4 m. diam. bear N 47 W 7<sup>th</sup> dist. of  
a Sugar 6 " " " N 80 E 19 " "

80.00 Set post post Cor. to Sec. 26, 27, 34 & 35 for which  
a Gum 16 m. diam. stand for the corner notched  
on four sides. This mile broken 3<sup>rd</sup> rate land  
timber Beech, Oak, Gum &c.

East On Rand<sup>m</sup>. between Sec. 26 & 35

40.00 Set temp. of Sec. post

80.00 Intersected the N & S. line 40<sup>th</sup>, S. of post.  
Land timber &c. same as on the last mile

West Connected between Sec. 26 & 35

40.00 Set of Sec. post at average dist. from which  
a Sugar 5 m. diam. bear North 2<sup>th</sup>, dist. of  
a Beech 10 " " " S 30 W 32 " "

80.00 to Sec. Corner.

North Between Sec. 26 & 27

40.00 Set of Sec. post, from which  
a Sugar 8 m. diam. bear S 40 E 6<sup>th</sup>, dist. of  
a Beech 4 " " " S 30 W 9 " "

48.00 a watercourse 14<sup>th</sup>, wide Cr. S. E.

80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which  
a Poplar 6 m. diam. bear N 40 E 17<sup>th</sup>, dist. of  
no other tree

Land timber &c. same as on the last mile

North Between Sec. 33 & 34

40.00 Set of Sec. post, from which

a Gum 14 m. diam. bear S 40 W 10<sup>th</sup>, dist. of  
a Sugar 8 " " " N 60 E 12 " "

76.50 a watercourse 12<sup>th</sup>, wide Course S. E.

# S. N. R. E. 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34 for which  
a Beech 8 in. diam. stand for Cor.  
This mile broken 3<sup>rd</sup> rate land, timber Beech, Oak  
Gum &c.

East On Land<sup>m</sup> between Sec. 27 & 34

40.00 Set temp. g. Sec. post

73.00 a watercourse Ck, wide run S. E.

80.00 Intersected the N & S. line 17 lks. S. of post  
This mile level 2<sup>nd</sup> rate land, timber, Beech, Oak  
Poplar, Dogwood &c.

West Corrected between Sec. 27 & 34

7.00 a watercourse Ck, wide Cr. S. E.

40.00 Set g. Sec. post at average dist. from which  
a Hickory 8 in. diam. bran West Ck, dist. of  
a do. 10 " " " N 46 E 38 " "

80.00 to Sec. Corner.

North Between Sec. 27 & 28

40.00 Set g. Sec. post, from which

a Beech 8 in. diam. bran N 17 E 8 lks. dist. of

a Gum 12 " " " " N 10 W 23 " "

66.24 a Beech 18 " " in the line

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which

a W. Oak 36 in. diam. bran N 45 W 11 lks. dist. of

a do. 30 " " " " N 50 E 18 " "

Sand timber &c. Same as on the last mile

North Between Sec. 32 & 33

35.00 a watercourse Ck, wide course N. E.

40.00 Set g. Sec. post, from which

a Gum 15 in. diam. bran North Ck, dist. of

a Dogw. 3 " " " " S 5 E 3 " "

80.00 a Beech 4 " " stand for Cor. to Sec. 28, 29  
32 & 33. Sand timber &c. Same as last mile

Ch. 1/2

East On Rand. between Sec. 28 & 33

35.00 a watercourse 6 1/2 ch, wide run S. E.

40.00 Set temp. q. Sec. post

78.00 a watercourse 10 ch, wide Cr. S.

80.00 Intersected the N of S. line at the post.

This mile level 2<sup>nd</sup> rate land timber Beech, Poplar &c

West Connected between Sec. 28 & 33

2.00 a watercourse 10 ch, wide Cr. S.

40.00 Set q. Sec. post, from which

a Gum 15 in. diam. bran North 6 ch, dist. of

a Dogw. 3 " " " S 50 E 3 " "

45.00 a watercourse 5 ch, wide Course S. E.

80.00 to Sec. Corner.

North Between Sec. 28 & 29

40.00 Set q. Sec. post, from which

a W. Oak 18 in. diam. bran S 30 W 8 ch, dist. of

a Beech 12 " " " N 85 E 29 " "

80.00 Set post Cor. to Sec. 28, 29, 30, 31, 32, from which

a Beech 5 in. diam. bran N 5 W 12 ch, dist. of

a Do. 14 " " " S 35 E 22 " "

This mile level 2<sup>nd</sup> rate land, timber Oak, Beech, Gum  
Ash &c.

North Between Sec. 31 & 32

32.00 a watercourse 6 ch, wide Course S.

40.00 Set q. Sec. post, from which

a W. Oak 18 in. diam. bran S 10 E 18 ch, dist. of

a W. Oak 27 " " " N 45 W 17 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which

a Gum 3 in. diam. bran N 5 E 17 ch, dist. of

a Do. 18 " " " N 80 E 35 " "

This mile will be estimated for farming, timber Beech  
Oak, Sugar &c. Soil 3<sup>rd</sup> rate

# Lot N 12 E. 2<sup>nd</sup> Mer. Indiana

ch. lky.

East On Randm. between Sec. 29 & 32

40.00 Set temp. g. Sec. post

80.18 Intersected the N & S. line 60 lky. N. of post  
This mile 2<sup>nd</sup> rate land, timber Beech, Poplar  
Sugar & Ash.

West Connected between Sec. 29 & 32

40.09 Set g. Sec. post at average dist. from which  
a Sugar 5 in. diam. beam N 11 W 16 lky. dist. of  
a Do. 5 " " " S 5 E 20 " "

80.18 to Sec. Corner

at the g. Sec. Cor. a small watercourse 5 lky. wide  
Course S. W.

West On Randm. between Sec. 30 & 31

40.00 Set temp. g. Sec. post

54.00 a watercourse 6 lky. wide Course S.

74.00 a Do. 8 " " " S. E.

79.80 Intersected W. boundary 40 lky. S. of post.

This mile level 3<sup>rd</sup> rate land timber Beech, Oak,  
Sugar tree &c.

East Connected between Sec. 30 & 31

5.00 a watercourse 8 lky. wide runs S. E.

25.00 a Do. 6 " " " S.

39.90 Set g. Sec. post at average dist. from which  
a Sugar 16 in. diam. beam S 50 E 27 lky. dist.  
a Beech 4 " " " N 70 W 7 " "

79.80 to Sec. Corner

North Between Sec. 29 & 30

30.00 a watercourse 12 lky. wide C. S 30 E.

40.00 Set g. Sec. post, from which

a Beech 18 in. diam. beam S 25 E 8 lky. dist. of

a Do. 24 " " " N 25 W 11 " "

65.00 a watercourse 40 lky. wide Course S. W.



# S6 N R12 E. 2.<sup>nd</sup> Mer. Indiana

Ch<sup>2</sup>. lks

75.00 a watercourse 8 lks. wide course W.

80.00 Set post Cor. to Sec<sup>s</sup>. 19, 20, 29 & 30, from which  
a Beech 10 in. diam. bear N 59 W 8 lks. dist. &  
a Do. 18 " " " S 35 E 29 " "

This mile level, 13<sup>th</sup> rate land, timber Beech, Sugar  
Oak &c.

West On Rand<sup>m</sup>. between Sec<sup>s</sup>. 19 & 30

5.00 a watercourse 10 lks. wide runs S.

40.00 Set temp<sup>y</sup>. of sec. post.

54.00 a watercourse 6 lks. wide course S.

79.40 Intersected W. boundary 34 lks. N. of post.

This mile broken 3<sup>rd</sup> rate land timber Beech, Oak,  
Sugar &c.

East Corrected between Sec<sup>s</sup>. 19 & 30

26.00 a watercourse 6 lks. wide Cr. S.

39.70 Set of sec. post at average dist. from which  
a Beech 20 in. diam. bear S 71 E 32 lks. dist. &  
a Do. 28 " " " S 40 W 25 " "

75.00 a watercourse 10 lks. wide Cr. S.

79.40 to sec. Corner

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 20 & 29

26.00 a watercourse 40 lks. wide runs S.

40.00 Set temp<sup>y</sup>. of sec. post

41.00 a Spring branch. runs S. W.

50.00 a watercourse 6 lks. wide runs S. W.

79.96 Intersected the N of S. line 47 lks. S. of post

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 21 & 28

18.50 a watercourse 6 lks. wide Cr. S 30 E

40.00 Set temp<sup>y</sup>. of sec. post

80.40 Intersected the N of S. line 27 lks. S. of post

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 22 & 27



S. N. R. 12 E. 2<sup>nd</sup> Mer. IndianaCh<sup>th</sup> 1/240.00 Set temp<sup>y</sup>. of Sec. post45.00 a watercourse 6<sup>th</sup>. wide run N.E.

52.00 a do. 12 " " " S.E.

79.95 intersected the N of S. line 14<sup>th</sup>. S. of postEast On Rand<sup>m</sup>. between Sec<sup>s</sup>. 23 of 2640.00 Set temp<sup>y</sup>. of Sec. post, from which80.00 intersected the N of S. line ~~12~~ at the postNorth Between Sec<sup>s</sup>. 23 of 2413.50 a watercourse 12<sup>th</sup>. wide run E.

40.00 Set of Sec. post, from which

a W. Walnut 12 in. diam<sup>t</sup>. bear N 68 E 9<sup>th</sup>. dist. of

a Hickory 14 " " " West 23 " "

80.00 Set post Cor<sup>r</sup> to Sec<sup>s</sup>. 13, 14, 23 of 24, from whicha Beech 14 in. diam<sup>t</sup>. bear N 60 E 6<sup>th</sup>. dist. of

a do. — " " " — " "

This mile broken 3<sup>rd</sup>. rate land, timber Beech

Oak, Hickory &amp;c.

East Between Sec<sup>s</sup>. 13 of 24

40.00 Set of Sec. post, from which

a Beech 18 in. diam<sup>t</sup>. bear S 30 W 29<sup>th</sup>. dist. of

No other tree

73.28 to the Indian boundary line Set post, from which

a Sugar 36 in. diam<sup>t</sup>. bear S 20 W 15<sup>th</sup>. dist. of

a do. 4 " " " N 10 E 15 " "

Sand timber &amp;c. Same as on the last mile

West Connected between Sec<sup>s</sup>. 23 of 26

40.00 Set of Sec. post at average dist. from which

a W. Oak 36 in. diam<sup>t</sup>. bear N 5 E 22<sup>th</sup>. dist. of

a Beech 4 " " " N 26 W 6 " "

80.00 to Sec. Corner. Sand 3<sup>rd</sup>. rate, timber, SameNorth Between Sec<sup>s</sup>. 22 of 23

# S 6 N 112 E. 2<sup>nd</sup> Mer. Indiana

367

ch. lly.  
40.00 Set q. Sec. post, from which  
a Beech 10 in. diam. - bear N 20 W 16 lly. dist. of  
a Do. 12 " " " S 70 E 16 " "  
80.00 Set post cor. to Sec. 14, 15, 22 of 23, from which  
a Poplar 36 in. diam. - bear S 20 W 26 lly. dist. of  
a Beech 14 " " " N 88 W 25 " "  
This mile level 2<sup>nd</sup> rate land, Beech, Poplar &c.

---

West Connected between Sec. 22 of 23  
28.00 a watercourse 12 lly. wide Course S. E.  
35.00 a Do. 6 " " " N. E.  
39.97 Set q. Sec. post at average dist. from which  
a Sugar 4 in. diam. - bear N 69 E 3 lly. dist. of  
a Gum 10 " " " S 38 E 25 " "  
79.95 to Sec. Corner.  
Sand timber &c. same as on the last mile

---

North Between Sec. 21 of 22  
40.00 Set q. Sec. post, from which  
a Gum 15 in. diam. - bear S 50 W 21 lly. dist. of  
a Beech 15 " " " East 19 " "  
62.00 a watercourse 8 lly. wide run E.  
75.00 a Do. 10 " " " S. E.  
80.00 Set post Cor. to Sec. 15, 16, 21 of 22, from which  
a Hickory 5 in. diam. - bear N 75 E 7 lly. dist. of  
a Beech 14 " " " S 50 E 22 " "  
This mile level 2<sup>nd</sup> rate land, timber Beech, Oak  
Poplar, Hickory &c

---

West Connected between Sec. 21 of 28  
40.20 Set q. Sec. post, at average dist. from which  
a Beech 5 in. diam. - bear N 16 E 18 lly. dist. of  
a Do. 16 " " " South 14 " "  
62.50 a watercourse 6 lly. wide run S 30 E.  
80.40 to Sec. Corner  
Sand timber &c. same as on the last mile

S. N. R. E. 2<sup>nd</sup> Mer. Indianach. 2<sup>ly</sup>

North Between Sec. 20 &amp; 21,

40.00 Set of Sec. post, from which  
 a W. Ash 12 in. diam. bear N 15 E 19 lks. dist. of  
 a Beech 30 " " " S 30 E 43 " "

80.00 Poplar 8 in. diam. stands for the corner of Sec. 16, 17, 20 & 21. This mile level 2<sup>nd</sup> rate land  
 timber Beech, Sugar, Oak, (much) brush

West Corrected between Sec. 20 &amp; 29

25.00 a watercourse 6 lks. wide runs S. W.

<sup>39.00 of Spring branch cor. S. W.</sup>

39.90 Set of Sec. post at average dist. from which  
 a Beech 18 in. diam. bear N 35 E 18 lks. dist. of  
 a Do. 6 " " " N 25 E 10 " "

54.00 a watercourse 40 lks. wide runs S.

79.96 to Sec. Corner. This mile level 2<sup>nd</sup> rate land  
 timber Beech, Sugar, Oak &c.

North Between Sec. 19 &amp; 20

40.00 Set of Sec. post, from which

a W. Ash 12 in. diam. bear N 15 E 19 lks. dist. of  
 a Beech 30 " " " S 30 E 43 " "

72.50 a watercourse 10 lks. wide Comes S. E.

80.00 Poplar 48 in. diam. stands for the cor. of Sec. 17,  
 18, 19 & 20. This mile level 2<sup>nd</sup> rate land timber  
 Beech, Oak, Sugar, Poplar &c

West On Land between Sec. 18 &amp; 19

40.00 Set temp. of Sec. post

55.00 a Watercourse 5 lks. wide Comes N. W.

79.60 Intersected the W. boundary 130 lks. S. of post  
 This mile level Beech land 3<sup>rd</sup> rate, timber  
 Principally Beech

East Corrected between Sec. 18 &amp; 19

<sup>25.00 a watercourse 5 lks. wide runs N. W.</sup>

39.80 Set of Sec. post at average dist. from which  
 a Beech 16 in. diam. bear N 11 W 18 lks. dist. of

# 369

## S. N. R 12 E. 2<sup>nd</sup> Mer. Indiana

Ch. 1<sup>st</sup> lky.

a Maple 12 mi. diam<sup>t</sup>, brang South 8 lky, dist. of  
79.60 to Sec. Corner

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 17 & 20

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Intersected the N & S, line 10 lky. N. of post

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 16 & 21

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

52.00 a watercourse 10 lky, wide runng S. E.

67.50 a Do. 10 " " " N 80 E.

75.00 a Do. — " " " S. E.

79.50 Intersected the N & S, line 40 lky. S. of post

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 15 & 22

25.00 a watercourse 5 lky. wide Course S.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.23 Intersected N & S, line 30 lky. N. of post

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 14 & 23

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.93 Intersected the N & S, line at the post

North Between Sec<sup>s</sup>. 13 & 14

30.00 a watercourse 8 lky, wide Course E

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 6 mi. diam<sup>t</sup>, brang N 45 E 8 lky, dist. of

a Do. 5 " " " S 15 W 12 " "

50.00 to Langhry Creek 150 lky, wide Course S. E.

65.00 a watercourse 6 lky, wide runng S. W

80.00 Set post cor. to Sec<sup>s</sup>. 11, 12, 13 & 14, from which

a Beech 16 mi. diam<sup>t</sup>, brang N 40 W 14 lky, dist. of

a Do. 16 " " " S 50 E 17 " "

This mile some broken 2<sup>nd</sup> rate land, timber

Beech, Oak, Ash, Sugar &c.



S. N. R. 12 E. 2<sup>d</sup> Mer. Indiana

ck. lks.

East Between Secs. 12 &amp; 13

40.00 Set q. Sec. post, from which  
a Hickory 6 in. diam. - bray S 30° W 11 lks. dist. of  
an Ash 12 " " " N 35° W 7 " "

48.50 a Watercourse 12 lks. wide runs S.

79.00 to the E. boundary full 21 lks. S. of post, set  
post cor. to Secs. 12 & 13, from which  
a W. Ash 12 in. diam. - bray S 50° W 12 lks. dist. of  
a Do 9 " " " S 45° E 26 " "  
This mile brushy 3<sup>d</sup> rate, timber Oak, Ash, Hick &c

West Correlated between Secs. 14 &amp; 23

39.96 Set q. Sec. post. at average dist. from which  
a Dogwood 4 in. diam. - bray N 60° W 7 lks. dist. of  
a Beech 18 " " " South 13 " "

79.93 to Sec. Corner

This mile some broken 2<sup>d</sup> rate land, timber  
Beech, Oak, Angor &c.

North Between Secs. 14 &amp; 15,

20.00 a watercourse 6 lks. wide runs E.

35.00 a Do. 6 " " " E.

40.00 Set q. Sec. post from which  
a Angor 8 in. diam. - bray N 38° W 7 lks. dist. of  
a Do. 10 " " " South 8 " "

80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which  
a Beech 16 in. diam. - bray N 45° W 14 lks. dist. of  
an Ironw. 4 " " " East 18 " "  
This mile broken 2<sup>d</sup> rate land, timber Beech  
Ash, Angor &c.

West Correlated between Secs. 15 &amp; 22

40.11 Set q. Sec. post, at average dist. from which  
a W. Oak 18 in. diam. - bray S 35° W 18 lks. dist. of  
a Maple 8 " " " N 30° E 32 " "

77.50 a watercourse 5 lks. wide runs S.



# Sec. N 12 E. 2. Mer. Indiana <sup>371</sup>

ch. 9. lky.

80.23 to Sec. Corner

This mile level 2<sup>nd</sup> rate land, timber Beech  
Poplar, Angar &c.

North Between Sec. 15 & 16

40.00 Set g<sup>r</sup>. Sec. post, from which  
a Hickory 18 in. diam. bear North 13 lky. dist. of  
a Dogw. 5 " " " West 5 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
a Poplar 24 in. diam. bear S 31° W 16 lky. dist. of  
a Do. 18 " " " N 60° E 18 " "  
Land timber &c. same as on the last mile

West Cor. to Sec. 16 & 21

39.75 Set g<sup>r</sup>. Sec. post at average dist. from which  
a B. Oak 18 in. diam. bear N 75° W 9 lky. dist. of  
a Dogw. 5 " " " S 60° E 20 " "

55.00 a watercourse 8 lky. wide Course N.

79.50 to Sec. Corner

This mile good farming land 2<sup>nd</sup> rate, timber  
Oak, Beech, Poplar &c.

North Between Sec. 16 & 17

40.00 Set g<sup>r</sup>. Sec. post, from which  
a Hickory 16 in. diam. bear North 7 lky. dist. of  
a Angar 6 " " " S 45° W 20 " "

47.50 a watercourse 6 lky. wide Course W.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 14 in. diam. bear S 40° W 18 lky. dist. of  
a Do. 6 " " " S 70° E 36 " "  
This mile 2<sup>nd</sup> rate land, Beech, Poplar, Angar &c.

West Cor. to Sec. 17 & 20

40.00 Set g<sup>r</sup>. Sec. post, from which  
a Beech 14 in. diam. bear S 20° W 13 lky. dist. of  
a Do. 4 " " " N 25° E 34 " "

372

T6N R12E. 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

80.00 to Sec. Corner

This mile level 2<sup>nd</sup> rate land timber  
Beech, Oak, Ash, Hickory & Logwood

North Between Sec. 17 &amp; 18

40.00 Set g. Sec. post, from which

a Beech 4 in. diam. - beam S 80° W 20 lks. dist. of

a Do. 16 " " " East 9 " "

53.00 a Watercourse 14 lks. wide Course E.

80.00 Set post Cor. to Sec. 7, 8, 17 &amp; 18, from which

a Maple 18 in. diam. - beam East 11 lks. dist. of

a Beech 8 " " " N 30° E 10 " "

This mile level 2<sup>nd</sup> rate land, timber Beech  
Oak, Poplar, Sugar etc.

West On Rand. between Sec. 7 &amp; 18

20.00 a Watercourse 8 lks. wide S. E.

40.00 Set temp. g. Sec. post

79.77 Intersected the W. boundary 21 lks. S. of post  
Sand timber etc. same as on the last mile

East Corrected between Sec. 7 &amp; 18

39.88 Set g. Sec. post, at average dist. from which

a Beech 24 in. diam. - beam N 40° W 23 lks. dist. of

a Do. 6 " " " N 60° W 4 lks. "

60.00 a Watercourse 8 lks. wide C. S. E.

79.77 to Sec. Corner.

North Between Sec. 7 &amp; 8

40.00 Set g. Sec. post, from which

a Beech 22 in. diam. - beam S 30° E 16 lks. dist. of

a Do. 6 " " " N 85° W 27 " "

44.00 a Watercourse 6 lks. wide C. E.

70.00 a Do. 10 " " " E.

80.00 Set post Cor. to Sec. 5, 6, 7 &amp; 8, from which

a Beech 4 in. diam. - beam West 8 lks. dist. of

373

Sec. N. R 12 E. T<sup>h</sup>. Mer. Indiana  
ch. 2<sup>ly</sup>  
a Beech 12 in. diam. bran S 30 E 21<sup>ly</sup>. dist. 5  
This mile Broken 3<sup>rd</sup> rate land, timber Ash,  
Sugar, Poplar - (much, brush)

---

West On Land<sup>gr</sup>. between Sec. 6 & 7  
10.00 a Spring branch runs N 80 E.  
40.00 Set temp. q. Sec. post  
80.50 intersected the N. boundary 38<sup>ly</sup>. S. of post  
This mile level 2<sup>nd</sup> rate land, timber Beech,  
Sugar, Poplar &c.

---

East Connected between Sec. 6 & 7  
40.25 Set q. Sec. post at average dist. from which  
a Beech 10 in. diam. bran S 80 E 16<sup>ly</sup>. dist. 5  
a do. 20 " " " North 34 " "  
70.00 a watercourse runs N 80 E.  
80.50 to Sec. Corner

---

North Between Sec. 5 & 6  
2.50 a watercourse 6<sup>ly</sup>. wide corner E.  
15.00 a Spring branch - " " " E.  
27.00 a stream 16<sup>ly</sup>. wide " S. E.  
40.00 Set q. Sec. post from which  
a Beech 10 in. diam. bran N 25 E 9<sup>ly</sup>. dist. 5  
a Sugar 22 " " " S 40 W 15 " "  
81.11 intersected the N. boundary 36<sup>ly</sup>. E. of post  
Set post - post cor. to Sec. 5 & 6, from which  
a Beech 10 in. diam. bran S 60 E 25<sup>ly</sup>. dist. 5  
a do. 18 " " " North 24 " "  
This mile 2<sup>nd</sup> rate land, timber Beech & Sugar

---

East On Land<sup>gr</sup>. between Sec. 8 & 17  
40.00 Set temp. q. Sec. post,  
41.00 a watercourse 10<sup>ly</sup>. wide runs S.  
80.00 intersected the N. & S. line 50<sup>ly</sup>. N. of post

S. N. P. 12 E. 2<sup>nd</sup> Mer. Indiana

Ch. 1/4

East On Rand<sup>m</sup>. between Sec. 9 & 1640.00 let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

50.00 a large watercourse 18 lks, wide Cr. S. E.

80.00 Intersected the N &amp; S. line at the post

East On Rand<sup>m</sup>. between Sec. 10 & 1540.00 let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

65.00 a watercourse 6 lks, wide runs S.

81.00 Intersected the N &amp; S. line — lks. — of post

East On Rand<sup>m</sup>. between Sec. 11 & 14

10.00 enter a bottom.

40.00 let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

55.00 Laughery Creek 150 lks, wide runs S.

79.64 Intersected the N &amp; S. line 100 lks. N. of post

North Between Sec. 11 &amp; 12

40.00 let q<sup>r</sup>. Sec. post, from which

a W. Ash 16 in. diam. &amp; brang N 65° W 25 lks. dist. of

a Sugar 12 " " " S 70° E 29 " "

80.00 let post Cor. to Sec. 1, 2, 11 &amp; 12, from which

a Beech 10 in. diam. &amp; brang S 25° W 12 lks. dist. of

a Do. 8 " " " N 88° E 24 " "

This mile some broken 3<sup>rd</sup> rate, timber Beech,  
Oak, Poplar &c.

East Between Sec. 1 &amp; 12

15.00 a watercourse 5 lks, wide S. E.

35.00 a Do. 14 " " Cr. S.

40.00 let q<sup>r</sup>. Sec. post, from which

a Hickory 16 in. diam. &amp; brang S 45° W 12 lks. dist. of

an Ironwood 3 " " " N 65° E 15 " "

78.27 Intersected the E. boundary 146 lks. S. of post

let post Cor. to Sec. 1 &amp; 12, from which

a Hickory 18 in. diam. &amp; brang N 16° E 11 lks. dist. of

a Do. 6 " " " S 57° W 14 " "

(description of land &amp;c. omitted)



# 375

## T6 N 12 E 2<sup>nd</sup> Mer. Indiana

Ch. P. 1/4.

West Correlated between Sec. 11 & 14

25.00 to Sanghery Creek 150 lks. wide runs S.

39.82 Set q. Sec. post at average dist. from which  
a Beech 18 in. diam. beam East 20 lks. dist. of  
a No. 18 " " " S 57 E 8 " "

70.00 to high Land

79.64 to Sec. Corner

This mile level 2<sup>nd</sup> rate, Beech, Walnut, ash, Sugar &c

North Between Sec. 10 & 11

30.00 a watercourse 12 lks. wide Course

40.00 a Beech 18 in. diam. Stands for q. Sec. Corner

50.00 Crossed a creek runs S.E.

60.00 the Main Creek 100 lks. wide runs S.W.

75.00 a part of Sanghery Creek 40 lks. wide runs W.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 10 in. diam. beam N 30 W — lks. dist. of  
a No. 14 " " " S 14 E 17 " "

This mile broken 3<sup>rd</sup> rate, timber Beech, Oak &c.

West Correlated between Sec. 10 & 15

40.50 Set q. Sec. post, from which (at average dist.)  
a W. Walnut 14 in. diam. beam N 29 E 15 lks. dist. of  
a Sugar 4 " " " S 40 E 16 " "

55.00 a watercourse 6 lks. wide runs N.

81.00 to Sec. Corner. This mile broken 3<sup>rd</sup> rate  
land, soil rich, timber Beech, Poplar &c.

North Between Sec. 9 & 10

25.00 a watercourse 6 lks. wide runs S

40.00 Set q. Sec. post, from which  
a Walnut 5 in. diam. beam N 30 E 24 lks. dist. of  
a B. Oak 8 " " " N 42 W 23 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which  
a Beech 12 in. diam. beam N 50 W 17 lks. dist. of  
a No. 10 " " " S 75 E 17 " "



S. N. R. E. 2<sup>d</sup>. Mer. Indiana  
 1<sup>st</sup> m. This mile broken 3<sup>d</sup>. rate land timber Beech  
 Oak, Sugar, some Poplar &c.

---

West Corrected between Sec. 9 & 16  
 30.00 a large watercourse 18 lks. wide runs N.E.  
 40.00 Set q. Sec. post, from which  
 a Hickory 8 in. diam. - bears S 45 E 3 lks. dist. of  
 a Do. 3 " " " N 5 W 20 " "  
 80.00 Section Corner. This mile broken 3<sup>d</sup>. rate land  
 timber Beech, Oak, Sugar, Poplar & Ash, Soil Rich

---

North Between Sec. 8 & 9  
 40.00 Set q. Sec. post, from which  
 a Beech 10 in. diam. - bears S 69 W 16 lks. dist. of  
 a Do. 8 " " " S 58 E 14 " "  
 44.00 a Stream 20 lks. wide runs E.  
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Beech 14 in. diam. - bears North 13 lks. dist. of  
 a Do. 4 " " " S 47 E 13 " "  
 Land timber &c. same as on the last mile

---

West Corrected between Sec. 8 & 17  
 39.00 a watercourse 10 lks. wide runs S.  
 40.00 a Beech 16 in. diam. - stands for q. Sec. Corner  
 80.00 to Sec. Corner. This mile some broken 3<sup>d</sup>. rate  
 timber Beech, Oak &c.

---

West On Rand<sup>m</sup>. between Sec. 5 & 8  
 34.00 a watercourse 5 lks. wide runs S.  
 40.00 Set temp. q. Sec. post  
 72.00 crossed a Stream 20 lks. wide runs S.E.  
 79.27 Intersected the N & S. line at the post  
 This mile over level 2<sup>d</sup>. rate land, timber Beech,  
 Poplar, Sugar &c.

---

East Corrected between Sec. 5 & 8

# 377

## T6 N. R12 E. 2<sup>d</sup>. Mer. Indiana

ch. lks.  
 39.63 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Beech 12 in. diam. bears N 45 E 34 lks. dist. of  
 a Sugar 10 " " " N 10 E 21 " "  
 46.00 a water course 5 lks. wide runs S.  
 79.27 to Sec. Corner.

East On Rand<sup>m</sup>. between Sec. 4 & 9  
 5.00 a watercourse 6 lks. wide runs S.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 44.00 a watercourse 6 lks. wide runs S.  
 79.87 Intersected the N of S. line 13 lks. S. of post

East On Rand<sup>m</sup>. between Sec. 3 & 10  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 78.00 a watercourse 6 lks. wide runs S.  
 80.33 Intersected the N of S. line 47 lks. S. of post

East On Rand<sup>m</sup>. between Sec. 2 & 11  
 30.00 to the Bank of Langhury Creek  
 36.00 Crossed an Island to a part of Langhury Creek  
 50 lks. wide runs S.  
 39.00 another part of said Creek 50 lks. wide runs S.W.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 50.00 rose a hill  
 80.00 Intersected the N of S. line 23 lks. N. of post

North Between Sec. 1 & 2, T6 N. R12 E.  
 37.00 a watercourse 6 lks. wide runs E.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Elm 8 in. diam. bears West 2 lks. dist. of  
 a Beech 4 " " " N 72 E 15 " "  
 81.75 Intersected the N. boundary 188 lks. E. of post  
 Set post Cor. to Sec. 1 & 2, from which  
 a Sugar 12 in. diam. bears N 78 W 10 lks. dist. of  
 a Beech 8 " " " N 85 E 18 " "  
 This mile broken, Beech, Oak, & gum &c.

T6N R12E 2<sup>d</sup> Mer. Indianach<sup>d</sup> l<sup>y</sup>

West Corrected between Sec. 2 &amp; 11

30.00 into a small bottom

40.00 Set of Sec. post at average dist. from which  
a Sugar 3 in. diam. bears North 31 l<sup>y</sup>, dist. of  
a Hickory 36 " " " S62°W 37 " "41.00 to the bank of Sanghory Creek 50 l<sup>y</sup>, wide runs S.44.00 to an other part 50 l<sup>y</sup>, wide runs S.W.50.00 Crossed another part 40 l<sup>y</sup>, wide runs S.W.80.00 to the Sec. Corner. The 1<sup>st</sup> half mile broken  
the other bottom, land 2<sup>d</sup> & 3<sup>d</sup> rate, timber  
Beech, Oak, Sugar &c.

North Between Sec. 2 &amp; 3, T6N R12E.

37.00 an Out let of Sanghory Creek

40.00 Set of Sec. post, from which  
a Sycamore 12 in. diam. bears N 8 E 14 l<sup>y</sup>, dist. of  
a Willow 4 " " " S25°W 12 " "

43.50 Crossed Sanghory Creek runs East

81.34 Intersected the N. boundary 72 l<sup>y</sup>, E. of the post  
a W. Oak 16 in. diam. stands for the Cor. of Sec.  
2 & 3 on N. boundaryThis mile broken 3<sup>d</sup> rate land, Beech, Poplar &c.

West Corrected between Sec. 3 &amp; 10

2.50 a watercourse 6 l<sup>y</sup>, wide runs S.40.16 Set of Sec. post at average dist. from which  
a Beech 18 in. diam. bears S 10 E 4 l<sup>y</sup>, dist. of  
a Do. 18 " " " S88°W 15 " "

80.33 to Sec. Corner

This mile broken 3<sup>d</sup> rate land, timber Beech,  
Oak, Sugar, and ang<sup>r</sup>. Spruce &c.

North Between Sec. 3 &amp; 4

40.00 Set of Sec. post, from which

a Beech 21 in. diam. bears S 23 E 23 l<sup>y</sup>, dist. of  
a Do. 24 " " " S70°W 44 " "

379

T6 N - R12 E, 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> 1/2

56.00 a watercourse 5 lks. wide run S. E.

81.75 Intersected the N. boundary 100 lks. E. of post  
at post Cor. to Sec. 3 & 4, from which  
a Poplar 40 in. diam. bears N 30 E 10 lks. dist. of  
a Beech 12 " " " N 50 W 5 " "  
This mile broken 2<sup>d</sup>. rate soil rich, timber  
Beech, Sugar, Oak &c.

West Cor. betw. Sec. 4 & 9

36.00 a watercourse 6 lks. wide run S.

39.93 Set of. Sec. post at average dist. from which  
a Beech 14 in. diam. bears N 50 W 5 lks. dist. of  
a Do. 18 " " " N 65 E 27 " "

75.00 a watercourse 6 lks. wide run S.

79.87 to Sec. Corner.

Sand timber &c. same as on the last mile

North Between Sec. 4 & 5

(This line was not run, or if run no notes  
taken of it.)

Surveyed in 1806

By Stephen Ludlow

Deputy Surveyor

I Certify that the foregoing transcript of field notes  
of Township N. 6 North, Range 12 East 2<sup>d</sup>. Mer.  
Indiana, has been compared with the original  
notes on file on this Office, and found to be correct.  
Surveyor General's Office  
Cincinnati, Oct. 30. 1844

William Johnston  
Sur. Genl.